

TA15

Titanium-based alloy ideal for heavy-duty components construction in aerospace

Key Features:

- > Part offering high mechanical properties under high-temperature condition
- > Outstanding load-bearing capacity under stress
- > High specific strength
- > Good weldability with laser sintering technology

Example Applications:

- > Heavy-duty parts in aerospace industry
- > Aircraft engine components
- > Thermal applications

[Technical Data]

General Properties

Part Density <small>ISO3369</small>	≥4.45 g/cm ³
--	-------------------------

Mechanical Properties ¹

(Heat treated)

Tensile Strength <small>ISO6892-1</small>	≥ 1000 MPa
--	------------


Yield Strength <small>ISO6892-1</small>	≥950 MPa
--	----------

Elongation after Fracture <small>ISO6892-1</small>	≥10 %
---	-------

Vickers hardness <small>ISO6507-1 / ISO6508-1</small>	≥295 HV5/15
--	-------------

¹ For more information on heat treatment process, please contact us directly. Farsoon systems are open material platform. For special materials such as tungsten, tantalum and pure copper, please contact us with your inquiries or requirements.

Disclaimer: Many factors may affect the performance characteristics of products. We recommend that you make tests to determine the suitability of a product for your particular purpose prior to use. Farsoon makes no warranties of any type, express or implied, including but not limited to, the warranties of merchantability or fitness for a particular use. This also applies regarding the consideration of possible intellectual property rights as well as laws and regulations. Farsoon reserves the right to change the technical data without notice. Farsoon®, Buildstar®, Makestar® are registered trademarks of Farsoon Technologies. Last Change: 2024-09



Electric Motor Rotor of Commercial Aircraft
System: FS421M-2

www.farsoon.com