

# FS350M

Industrial AM Production Economy

▶ [www.farsoon-gl.com](http://www.farsoon-gl.com)



## HIGHLY PRODUCTIVE SYSTEM

Featuring an expanded build cylinder of 433×358×400mm, the FS350M is capable of producing large metal parts from a wide range of powder materials. With multi-laser configuration and thicker layer process, the FS350M offers optional Beam Shaping Technology, greatly enhancing the production efficiency.

## EFFICIENCY + SAFETY

Equipped with advanced multi-laser scanning strategy and calibration algorithms, the FS350M offers optimal build efficiency, and uniformed part performance in overlapping areas. The closed-loop Powder Management System, intelligent recoating control, and advanced layered gas flow design allow for efficient, yet uniformed melting process of metal powder.

## COST PERFORMANCE + OPEN

The FS350M features a machine footprint as small as 6.03 sqm with an integrated Permanent Filtration System. In an additive factory setting, FS350M enables high density layout to achieve maximum throughput per floor area at economical additive production cost. Like all Farsoon machines, the FS350M is a truly open platform which offers the user a high degree of control to tailor processing parameters for industrial application requirements and costcompetitivemetal additive manufacturing.

# FARSOON FS350M

| TECHNICAL DATA                                   | FS350M-4  | FS350M-6   |
|--|---|--|
| <b>External Dimensions</b> (L×W×H)               | 3260×1850×2300 mm (128.3×72.8×90.6 in)  |  |
| <b>Build Cylinder Size</b> (L×W×H)               | 433×358×400 mm (17.1×14.1×15.7 in) (Height incl. build plate)   |  |
| <b>Effective Build Size</b> <sup>1</sup> (L×W×H) | 425×350×400 mm (16.7×13.8×15.7 in) (Height incl. build plate)   |  |
| <b>Net Weight</b>                                | Approx. 3300kg (7275.3 lb)  |  |
| <b>Layer Thickness</b> <sup>2</sup>              | 0.02~0.1 mm (0.0008-0.0039 in)  |  |
| <b>Scanning Speed</b>                            | Max. 10 m/s (32.8 ft/s)   |  |
| <b>Laser Type</b>                                | Fiber Lasers, 4×500W,<br>Fiber Lasers, 4×1000W (Beam Shaping)   | Fiber Lasers, 6×500W<br>Fiber Lasers, 6×1000W (Beam Shaping) |
| <b>Scanner</b>                                   | F theta lenses  |  |
| <b>Inert Gas Protection</b>                      | Argon/Nitrogen  |  |
| <b>Average Inert Gas Consumption in Process</b>  | 3-5 L / min   |  |
| <b>Operating System</b>                          | 64 bit Windows 10   |  |
| <b>Comprehensive Software</b>                    | BuildStar, MakeStar®  |  |
| <b>Key Software Features</b>                     | Open machine key parameters, real-time build parameter modification, three-dimensional visualization, diagnostic function, support-add function |  |
| <b>Data File Format</b>                          | STL   |  |
| <b>Power Supply</b>                              | EUR/China: 400V±10%, 3~/N/PE, 50Hz, 50A/60A/80A US: transformer sold with machine   |  |
| <b>Operating Ambient Temperature</b>             | 22-28°C (71.6-82.4°F)   |  |
| <b>Materials</b> <sup>3</sup>                    | 316L, AlSi10Mg, Ti6Al4V, TA15, AlMgSc, 17-4PH*, ST1* Maraging Steel Grade 300*, more materials to come  |  |

<sup>1</sup> The functional build volume depends on the parts/materials.

<sup>2</sup> Farsoon's Beam Shaping Technology can offer even larger layer thickness. Contact us for more details.

<sup>3</sup> The materials marked with \* are in the build process development.

Many factors may affect the performance characteristics of products. We recommend that you make tests to determine the suitability of a product for your particular purpose prior to use. Farsoon makes no warranties of any type, express or implied, including but not limited to, the warranties of merchantability or fitness for a particular use. This also applies regarding the consideration of possible intellectual property rights as well as laws and regulations. Farsoon reserves the right to change the technical data without notice. Farsoon®, Buildstar®, Makestar® are registered trademarks of Farsoon Technologies. Last Change: 2026-04



**BIKE YOKE**  
MATERIAL: Ti6Al4V  
SYSTEM: FS350M-4  
PRINT TIME: 24H

[www.farsoon-gl.com](http://www.farsoon-gl.com)

**AMEA** Farsoon Technologies Co., Ltd. | +86.731.8397.6198 | [globalinfo@farsoon.com](mailto:globalinfo@farsoon.com) | No. 2710 Yuelu West Boulevard, Yuelu District, Changsha, Hunan, China

**AMERICAS** Farsoon Americas CORP. | +1 512-551-9901 | [contact@farsoonam.com](mailto:contact@farsoonam.com) | 3161 Eagles Nest Street, Suite 350, Round Rock, TX 78665

**EUROPE** Farsoon Europe GmbH | +49 70316325822 | [wehelpyou@farsoon-eu.com](mailto:wehelpyou@farsoon-eu.com) | Industriestraße 5/1, 71069 Sindelfingen, Germany